

KATUALI RIGGING SLING

You know the rope? Discover the KATUALI sling! Created with arborists' specific requirements in mind.

The sling benefits from the quality and reliability of the KATUALI rope, it is a ready-to-use, short version of it. With one of the best diameter/strength ratios on the market, the KATUALI sling offers no-compromise, high performance, even in the harshest conditions.

ATTACHING SLING



DESCRIPTION

WHY SHOULD YOU CHOOSE THE KATUALI SLING?

- Proven quality: with the same technical performance as the KATUALI ropes, the sling offers great strength and durability with the 100% polyester double braid.
- Excellent features: it is very flexible, has little elongation and one of the best diameter/strength ratios on the market.
- Optimal versatility for all work situations: declined in 5 diameters and several lengths, with one or two splices, the KATUALI-sling range will adapt to any rigging configuration.
- Ready to use: with its splice(s), it will simplify your set ups while securing your work quickly and efficiently.

CREATED FOR YOUR NEED

The KATUALI slings have been created to help you for all tree-dismantling and branch-rigging works. It is compatible with all rigging gear, like pulleys or friction rings, and can be adapted in all your set ups.

THE KATUALI SLING: STRONG, RELIABLE, AFFORDABLE

With a KATUALI sling, you have an efficient and economical product, created to help you on any field work. At FTC TREE's, our products are developed to transform your everyday challenges into real successes.

TECHNICAL INFORMATION

Diameter	Weight	MBS with splice	WLL	Material
10 mm (white and orange)	86 g/m	29 kN	4.1 kN	53 % core, 47 % cover
12 mm (white and blue)	119 g/m	40 kN	5.7 kN	57 % core, 43 % cover
14 mm (white and green)	153 g/m	52 kN	7.4 kN	55 % core, 45 % cover
16 mm (white and red)	203 g/m	70 kN	10 kN	56 % core, 44 % cover
18 mm (white and black)	256 g/m	84 kN	12 kN	56 % core, 44 % cover

REFERENCES

FTC/2EK-18-7 length (m/ft) - 7 m (22.9 ft)splice - 2 splicesdiameter - 18 mm (0.7 in)

FTC/2EK-14-7 length (m/ft) - 7 m (22.9 ft)splice - 2 splicesdiameter - 14 mm (0.55 in)

FTC/2EK-12-8 length (m/ft) - 8splice - 2 splicesdiameter - 12 mm (0.47 in)

FTC/2EK-14-3 length (m/ft) - 3 m (9.8 ft)splice - 2 splicesdiameter - 14 mm (0.55 in)

FTC/1EK-10-2 length (m/ft) - 2 m (6.5 ft)splice - 1 splicediameter - 10 mm (0.39 in)

FTC/1EK-16-2.5 length (m/ft) - 2,50 m (8.2 ft)splice - 1 splicediameter - 16 mm (0.62 in)

FTC/2EK-18-5 length (m/ft) - 5 m (16.4 ft)splice - 2 splicesdiameter - 18 mm (0.7 in)

FTC/1EK-16-3 length (m/ft) - 3 m (9.8 ft)splice - 1 splicediameter - 16 mm (0.62 in)

FTC/2EK-16-8 length (m/ft) - 8splice - 2 splicesdiameter - 16 mm (0.62 in)

FTC/1EK-14-2 length (m/ft) - 2 m (6.5 ft)splice - 1 splicediameter - 14 mm (0.55 in)

FTC/2EK-18-8 length (m/ft) - 8splice - 2 splicesdiameter - 18 mm (0.7 in)

FTC/2EK-14-4 length (m/ft) - 4 m (13.1 ft)splice - 2 splicesdiameter - 14 mm (0.55 in)

FTC/1EK-12-3 length (m/ft) - 3 m (9.8 ft)splice - 1 splicediameter - 12 mm (0.47 in)

FTC/1EK-14-1.5 length (m/ft) - 1,50 m (4.9 ft)splice - 1 splicediameter - 14 mm (0.55 in)

FTC/1EK-10-3 length (m/ft) - 3 m (9.8 ft)splice - 1 splicediameter - 10 mm (0.39 in)

FTC/1EK-16-2 length (m/ft) - 2 m (6.5 ft)splice - 1 splicediameter - 16 mm (0.62 in)

FTC/1EK-10-1.5 length (m/ft) - 1,50 m (4.9 ft)splice - 1 splicediameter - 10 mm (0.39 in)

FTC/IEK-18-6	length (m/ft) - 6 m (19.6 ft)splice - 1 splicediameter - 18 mm (0.7 in)
FTC/2EK-12-7	length (m/ft) - 7 m (22.9 ft)splice - 2 splicesdiameter - 12 mm (0.47 in)
FTC/IEK-16-3.5	length (m/ft) - 3,50 m (11.4 ft)splice - 1 splicediameter - 16 mm (0.62 in)
FTC/2EK-14-6	length (m/ft) - 6 m (19.6 ft)splice - 2 splicesdiameter - 14 mm (0.55 in)
FTC/IEK-14-3	length (m/ft) - 3 m (9.8 ft)splice - 1 splicediameter - 14 mm (0.55 in)
FTC/IEK-12-2.5	length (m/ft) - 2,50 m (8.2 ft)splice - 1 splicediameter - 12 mm (0.47 in)
FTC/IEK-18-4.5	length (m/ft) - 4,50 m (14.7 ft)splice - 1 splicediameter - 18 mm (0.7 in)
FTC/IEK-18-3	length (m/ft) - 3 m (9.8 ft)splice - 1 splicediameter - 18 mm (0.7 in)
FTC/IEK-12-5	length (m/ft) - 5 m (16.4 ft)splice - 1 splicediameter - 12 mm (0.47 in)
FTC/IEK-10-4	length (m/ft) - 4 m (13.1 ft)splice - 1 splicediameter - 10 mm (0.39 in)
FTC/IEK-12-1.5	length (m/ft) - 1,50 m (4.9 ft)splice - 1 splicediameter - 12 mm (0.47 in)
FTC/IEK-12-2	length (m/ft) - 2 m (6.5 ft)splice - 1 splicediameter - 12 mm (0.47 in)
FTC/IEK-12-4	length (m/ft) - 4 m (13.1 ft)splice - 1 splicediameter - 12 mm (0.47 in)
FTC/2EK-12-3	length (m/ft) - 3 m (9.8 ft)splice - 2 splicesdiameter - 12 mm (0.47 in)
FTC/2EK-12-4	length (m/ft) - 4 m (13.1 ft)splice - 2 splicesdiameter - 12 mm (0.47 in)
FTC/2EK-12-5	length (m/ft) - 5 m (16.4 ft)splice - 2 splicesdiameter - 12 mm (0.47 in)
FTC/2EK-12-6	length (m/ft) - 6 m (19.6 ft)splice - 2 splicesdiameter - 12 mm (0.47 in)
FTC/IEK-14-2.5	length (m/ft) - 2,50 m (8.2 ft)splice - 1 splicediameter - 14 mm (0.55 in)
FTC/IEK-14-3.5	length (m/ft) - 3,50 m (11.4 ft)splice - 1 splicediameter - 14 mm (0.55 in)
FTC/IEK-14-4	length (m/ft) - 4 m (13.1 ft)splice - 1 splicediameter - 14 mm (0.55 in)
FTC/IEK-14-5	length (m/ft) - 5 m (16.4 ft)splice - 1 splicediameter - 14 mm (0.55 in)
FTC/2EK-14-5	length (m/ft) - 5 m (16.4 ft)splice - 2 splicesdiameter - 14 mm (0.55 in)
FTC/2EK-14-8	length (m/ft) - 8splice - 2 splicesdiameter - 14 mm (0.55 in)
FTC/IEK-16-4	length (m/ft) - 4 m (13.1 ft)splice - 1 splicediameter - 16 mm (0.62 in)
FTC/IEK-16-5	length (m/ft) - 5 m (16.4 ft)splice - 1 splicediameter - 16 mm (0.62 in)
FTC/2EK-16-3	length (m/ft) - 3 m (9.8 ft)splice - 2 splicesdiameter - 16 mm (0.62 in)
FTC/2EK-16-4	length (m/ft) - 4 m (13.1 ft)splice - 2 splicesdiameter - 16 mm (0.62 in)
FTC/2EK-16-5	length (m/ft) - 5 m (16.4 ft)splice - 2 splicesdiameter - 16 mm (0.62 in)
FTC/2EK-16-6	length (m/ft) - 6 m (19.6 ft)splice - 2 splicesdiameter - 16 mm (0.62 in)
FTC/2EK-16-7	length (m/ft) - 7 m (22.9 ft)splice - 2 splicesdiameter - 16 mm (0.62 in)

FTC/1EK-18-3.5 length (m/ft) - 3,50 m (11.4 ft)splice - 1 splicediameter - 18 mm (0.7 in)

FTC/1EK-18-4 length (m/ft) - 4 m (13.1 ft)splice - 1 splicediameter - 18 mm (0.7 in)

FTC/1EK-18-7 length (m/ft) - 7 m (22.9 ft)splice - 1 splicediameter - 18 mm (0.7 in)

FTC/1EK-18-5 length (m/ft) - 5 m (16.4 ft)splice - 1 splicediameter - 18 mm (0.7 in)

FTC/1EK-18-8 length (m/ft) - 8splice - 1 splicediameter - 18 mm (0.7 in)

FTC/2EK-18-3 length (m/ft) - 3 m (9.8 ft)splice - 2 splicesdiameter - 18 mm (0.7 in)

FTC/2EK-18-4 length (m/ft) - 4 m (13.1 ft)splice - 2 splicesdiameter - 18 mm (0.7 in)

FTC/2EK-18-6 length (m/ft) - 6 m (19.6 ft)splice - 2 splicesdiameter - 18 mm (0.7 in)

DOCUMENT

Instructions 1/2

Instructions 2/2

Declaration of conformity

